



MODEL: GH-8x8-D36L



Left side



Front




Right side

Pressure treated LSL wall and roof framing

(2) 18x36 operable awning windows

Full-spectrum tempered double pane glass panels on all sides

Clear or bronze anodized aluminum wall cladding



Multiwall 16mm clear polycarbonate roofing - R2.78

(2) 8x16 thermatic-vents - 40°F-70°F range







Back

36" full lite fiberglass door - optional painted finish

- | | | | |
|---|---|---|---|
|  SW 6867 |  SW 6643 |  SW 7008 |  SW 7663 |
|  SW 6893 |  SW 7591 |  SW 7738 |  SW 7075 |
|  SW 6907 |  SW 7585 |  SW 7038 |  SW 7020 |
|  SW 6921 |  SW 6083 |  SW 7032 |  SW 6258 |
|  SW 6485 |  SW 6425 |  SW 7748 | |

STUDIOSprout™


MODEL: GH-8x8-D36R



- 36" full lite fiberglass door - optional painted finish
- | | | | |
|---|---|---|---|
|  |  |  |  |
| SW 6867 | SW 6643 | SW 7008 | SW 7663 |
|  |  |  |  |
| SW 6893 | SW 7591 | SW 7738 | SW 7075 |
|  |  |  |  |
| SW 6907 | SW 7585 | SW 7038 | SW 7020 |
|  |  |  |  |
| SW 6921 | SW 6083 | SW 7032 | SW 6258 |
|  |  |  | |
| SW 6485 | SW 6425 | SW 7748 | |




MODEL: GH-8x10-D36L



Clear Bronze


36" full lite fiberglass door
- optional painted finish

- | | | | |
|-----------|-----------|-----------|-----------|
| ● SW 6867 | ● SW 6643 | ● SW 7008 | ● SW 7663 |
| ● SW 6893 | ● SW 7591 | ● SW 7738 | ● SW 7075 |
| ● SW 6907 | ● SW 7585 | ● SW 7038 | ● SW 7020 |
| ● SW 6921 | ● SW 6083 | ● SW 7032 | ● SW 6258 |
| ● SW 6485 | ● SW 6425 | ● SW 7748 | |




STUDIOSprout™

MODEL: GH-8x10-D36R



Clear Bronze




36" full lite fiberglass door - optional painted finish

- | | | | |
|---|---|---|---|
|  |  |  |  |
| SW 6867 | SW 6643 | SW 7008 | SW 7663 |
|  |  |  |  |
| SW 6893 | SW 7591 | SW 7738 | SW 7075 |
|  |  |  |  |
| SW 6907 | SW 7585 | SW 7038 | SW 7020 |
|  |  |  |  |
| SW 6921 | SW 6083 | SW 7032 | SW 6258 |
|  |  |  | |
| SW 6485 | SW 6425 | SW 7748 | |




MODEL: GH-8x12-D36L



Left side

Front

Right side



36" full lite fiberglass door - optional painted finish

- | | | | |
|---------|---------|---------|---------|
| | | | |
| SW 6867 | SW 6643 | SW 7008 | SW 7663 |
| | | | |
| SW 6893 | SW 7591 | SW 7738 | SW 7075 |
| | | | |
| SW 6907 | SW 7585 | SW 7038 | SW 7020 |
| | | | |
| SW 6921 | SW 6083 | SW 7032 | SW 6258 |
| | | | |
| SW 6485 | SW 6425 | SW 7748 | |


Multiwall 16mm clear polycarbonate roofing - R2.78



Back



MODEL: GH-8x12-D36R



6'-5 1/4" wall
6'-8 1/2" roof

Left side

Front


Right side

Pressure treated LSL wall and roof framing

(3) 18x36 operable awning windows

Full-spectrum tempered double pane glass panels on all sides

Clear anodized aluminum wall cladding



Multiwall 16mm clear polycarbonate roofing - R2.78

36" full lite fiberglass door - optional painted finish



(3) 8x16 thermatic-vents - 40°F-70°F range

Back

